

VACCINE & MEDICINE

Temperature Monitoring Solutions


Meets current CDC / VFC requirements and additional recommendations for vaccine storage and monitoring, FDA 21 CFR Part 11 Compliant.



Elitech[®]



Innovation Preceding All



LOG 16000 DATA



Elitech®

Innovation Preceding All



Export Data via Elitechlog Software



Mac Os



Elitech[®]

Innovation Preceding All

Built in Magnet for Simple Adsorption



Technical Specifications

Temp Range	-40°C~+85°C (-40°F~185°F)
Temp Accuracy	±0.5°C/±0.9°F (-20°C~+40°C), +1°C/±1.8°F (others)
Humi Range	0%RH~100%RH
Humi Accuracy	±3%RH (25°C, 20%RH~80%RH), ±5%RH (others)
Resolution	0.1°C/°F; 0.1%RH
Memory Maximum	Maximum 16,000 points
Logging Interval	10 seconds to 24 hours
Data Interface	Micro USB

Software	ElitechLog, for macOS & Windows system
Report Format	PDF/EXCEL/TXT*via ElitechLog software (TXT for Windows ONLY.)
Power supply	Single-use 3.6V ER14505H lithium battery; Or powered via USB
Battery life	Two years at room temperature with 15 minutes record interval and buzzer alarm disabled.
Certification	EN12830, CE, RoHS
Dimensions	118x61.5x19 mm
Logging Mode	Stop when full; Circular logging
Alarm Configuration	Buzzer; LCD display

Cold Chain in Pharmaceutical Sector



Vaccine
Manufacturer



International
Airports



Refrigerated
Truck



Health
Centre



Vaccine
Refrigerator



Cold Box



Recipient